



**Part Number :** [1300170057](#)  
**Product Description :** Mini-Change Field Attachable,  
Female Connector, 4 Pole, Cable Range: 5.08-12.19mm  
Outside Diameter with Internal Threads  
**Series Number :** 130017  
**Status :** Active  
**Product Category :** Circular Industrial Connectors  
**Engineering Number :** 1A4000-34PWR



Documents & Resources

Drawings  
[1300170057 sd.pdf](#)

Product Environment Compliance

Compliance

|                    |                                                                                                              |
|--------------------|--------------------------------------------------------------------------------------------------------------|
| GADSL/IMDS         | Not Relevant                                                                                                 |
| China RoHS         | <br>per SJ/T 11365-2006 |
| EU ELV             | Not Relevant                                                                                                 |
| Low-Halogen Status | Not Low-Halogen per IEC<br>61249-2-21                                                                        |
| REACH SVHC         | Contains Lead per D(2025)4165-DC<br>(25 June 2025)                                                           |
| EU RoHS            | Compliant with Exemption 6(c) per<br>EU 2015/863                                                             |

Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474

- chemSHERPA (xml)

[Substances of Interest](#)

- PFAS

[EU RoHS Certificate of Compliance](#)

[Additional Product Compliance Information](#)

[UKCA - Declaration of Conformity](#)

[CE - Declaration of Conformity](#)

---

## Part Details

### General

|              |                                                                                                                          |
|--------------|--------------------------------------------------------------------------------------------------------------------------|
| Status       | Active                                                                                                                   |
| Category     | Circular Industrial Connectors                                                                                           |
| Series       | 130017                                                                                                                   |
| Description  | Mini-Change Field Attachable, Female Connector, 4 Pole, Cable Range: 5.08-12.19mm Outside Diameter with Internal Threads |
| Approvals    | UL Listed: E258922                                                                                                       |
| IP Rating    | IP67                                                                                                                     |
| Product Name | Mini-Change                                                                                                              |
| Type         | Field Attachable Connector                                                                                               |
| UPC          | 191128139939                                                                                                             |

### Agency

|    |         |
|----|---------|
| UL | E258922 |
|----|---------|

### Electrical

|                               |            |
|-------------------------------|------------|
| Current - Maximum per Contact | 15.0A      |
| Voltage - Maximum             | 600V AC/DC |

### Physical

|                    |                             |
|--------------------|-----------------------------|
| Cable Diameter     | 5.00 - 12.00mm (.197-.472") |
| Coupling Type      | Internal Thread             |
| Diagnostics / LEDs | No                          |
| Diagnostics Port   | No                          |
| Gender             | Female                      |

|                               |                     |
|-------------------------------|---------------------|
| Keyway                        | Single              |
| Material - Connector Body     | Nylon               |
| Material - Contact            | Brass               |
| Material - Coupling Nut       | Nickel-plated Brass |
| Material - Plating Mating     | Gold                |
| Net Weight                    | 48.500/g            |
| Orientation                   | Straight            |
| Poles                         | 4                   |
| Temperature Range - Operating | -20°C to +80°C      |
| Wire Size (AWG)               | 15 to 24            |

---

This document was generated on Sep 29, 2025